



MD500/2 2-Speed Long-Cutter Magnetic Drill

A 2-speed 2000 W
magnetic drilling machine

May. 2024

Internal & Confidential

AGP TAIWAN

Lee Yeong Industrial Co., Ltd.
No.2, Kejia Rd., Douliu City, 64057, Taiwan
Tel : 886-5-5518689 Fax : 886-5-5518635

AGP EUROPE BV

Evenbroekveld 16D, 9420 Erpe-Mere, Belgium
Tel : +32 53 21 62 22 Fax : +32 53 83 88 20

AGP | MD500/2 Magnetic Drilling Machine



Introduction

Target group & Applications


MD500/2 Introduction

The MD500/2 is a two-speed, long-cutter machine. The two gears allow a wider range of cutter diameters to be used while maintaining maximum torque. For drilling with HSS or TCT annular cutters in steel, it is rated at 65 mm diameter with up to 75 mm length. The most outstanding feature of this machine is its exceptional 75 mm deep drilling capacity, with only a few competitors being able to match it. This machine uses an arbor support bracket to optimize its stability using large cutters.

Although its primary purpose is drilling with annular cutters, a 5/8" (16mm) chuck can also be mounted by using the optional chuck adaptor (after temporarily removing the arbor support bracket). This allows the use of twist drills and other types of cutting tools such as countersinks, counterbores, and reamers. This makes the machine useful for a wide range of metalworking applications and industries.

Target Groups and Applications

For operators in the metalworking, fabrication, steel frame construction, bridge building industry, or anyone who needs to drill up to 75mm thick steel, the MD500/2 is the tool for the job. Magnetic drills are convenient and portable, making them the perfect complement to a stationary drill press. Their powerful electromagnet can adhere to ferrous steel in any position needed, allowing accurately aligned perpendicular holes to be created. They are especially useful when the steel to be drilled is part of a larger structure which cannot be drilled by stationary equipment. Here their ability to magnetically adhere to the workpiece really saves the day. This tool's performance creating large holes in thick steel is the best in its class.



Sales Arguments


Extra Long Cutter Capacity

Drill up to 75 mm thick steel in diameters up to 65 mm.



Arbor Support Bracket

Extra stability when drilling with large diameters.



Powerful Electromagnet

32,000 N electromagnet for reliable stability with large diameters.



2-Speed Gearbox

Two gear ratios for maximum torque with a wider range of diameters.



High Torque Motor

2000 W motor designed for optimum torque characteristics.



Integrated Cutting Fluid Feed


Cutting fluid automatically feeds when using annular cutters and can be fine adjusted as needed.



Technical Specification

Model		MD500/2
Power Input		2000 W (220 V), 1700 W (110 V)
Voltage, Frequency		220-240 V~ 50-60 Hz or 110-120 V~ 50-60 Hz
No Load (Rated Load) Speeds		Gear 1 380 (230) min ⁻¹
		Gear 2 550 (330) min ⁻¹
Max. Capacity	Ø x Depth of Cut of Cutters	65 mm x 75 mm (2-9/16" x 3")
	Ø Twist Drills	≤ 16 mm (5/8") shank
	Stroke	115 mm (4-1/2")
Overload Protection		With
Magnetic Adhesion		32,000 N
Weight		21.1 kg (46.5 lb)

- 1 Coolant Tank
- 2 Coolant Feed Tap
- 3 Gear Selector
- 4 Arbor Support Bracket
- 5 Annular Cutter (Not included)
- 6 Pilot Pin (Not included)
- 7 Magnet Base
- 8 Magnet Switch
- 9 Motor Switch
- 10 Crank Handle



Offer Content

Standard Accessories

- 1 MD500/2 Magnetic Drilling Machine
- 2 Coolant Tank Kit
- 3 Wrench M8
- 4 L-Hex Key M4
- 5 L-Hex Key M2.5
- 6 Ratchet Strap
- 7 Chip Guard Kit




Optional Accessories

- 8 Chuck Adaptor
- 9 5/8" (16 mm) Chuck & Chuck Key
- 10 Quick-Release Cutter Arbor



Cutting Tools Applications



Comparison Table

AGP[®]



NITTO
NITTO KOHKI CO.,LTD.



Haugen[®]



Brand

Model	MD500/2	AO-5575	HMD917
Power	2000 W	1150 W	1553 W
Capacity Ø (cutters)	65 mm	55 mm	60 mm
Depth of Cut (cutters)	75 mm	75 mm	75 mm
Twist Drills	16 mm	N/A	16 mm
RPM-no load (rated load) I	380 (230) /min	350 (250) /min	(250) /min
RPM-no load (rated load) II	550 (330) /min	650 (450) /min	(450) /min
Overload Protection	Yes	Yes	Yes
Gearbox Lubrication	Grease	Grease	Grease
Cutter Shank	19.05 Weldon	One-Touch	19.05 Weldon
Quick-Release Arbor	No	Yes	No
Morse Taper Spindle	No	No	Optional
Swivel Base	No	No	Optional
Tapping	No	No	Optional (5/8", M16)
Magnetic Force Display	No	Yes	Yes
Magnetic Adhesion	32,000 N	10,000 N	1,125 kg (dead lift)
Weight	21.1 kg	18.0 kg	20.9 kg (22.7 kg swivel base)

Conclusion The **AGP** is by far the most powerful and highest capacity machine in this category. Its magnet is also the strongest. It is the obvious best choice for 75mm depth of cut.

Tool Dimensions

